

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 0 921 696 A1

(12) **EUROPEAN PATENT APPLICATION**
published in accordance with Art. 158(3) EPC

(43) Date of publication:
09.06.1999 Bulletin 1999/23

(21) Application number: 98928586.1

(22) Date of filing: 19.06.1998

(51) Int. Cl.⁶: H04N 17/00, H04N 7/16

(86) International application number:
PCT/JP98/02742

(87) International publication number:
WO 98/58499 (23.12.1998 Gazette 1998/51)

(84) Designated Contracting States:
DE FR GB

(30) Priority: 19.06.1997 JP 16240597

(71) Applicant: SONY CORPORATION
Tokyo 141 (JP)

(72) Inventor: SHINTANI, Peter
Shinagawa-ku, Tokyo 141-0001 (JP)

(74) Representative:
Cotter, Ivan John et al
D. YOUNG & CO.
21 New Fetter Lane
London EC4A 1DA (GB)

(54) **DEVICE AND METHOD FOR RECEIVING INFORMATION AND DEVICE AND METHOD FOR TRANSMITTING INFORMATION**

(57) A device and method for receiving information and a device and method for transmitting information which can make TV audience surely view and listen to commercial programs. When a broadcast commercial program is displayed on a display (7A), the TV audience is requested to send responses. When the audience wants to respond to the request, the audience operates a prescribed one of the ten keys (32) of a remote con-

troller (31). When the audience responds correspondingly to the response request of the commercial program, a point is added to a smart card (10). The audience can utilize the points recorded on the smart card (10) when the audience wants to view and listen to a pay-TV program.




FIG. 2

EP 0 921 696 A1

Description

Field of the Art

[0001] The present invention relates to an information receiving device and its method, and an information transmission device and its method, and particularly relates to an information receiving device and its method, and an information transmission device and its method which operate points corresponding to a response from a viewer to a request for response from a response program to make the viewer surely view the program using this points.

Background Art

[0002] In recently years, a television broadcasting has been digitized and programs of extremely many channels are provided for viewers. Thus the viewers can select and view a desired program from these many programs.

[0003] On the other hand, a program's provider (broadcasting station) provides the viewers a commercial program to advertise predetermined merchandise and receiving a consideration for it from the sponsor of that merchandise (manufacturer or seller). Thus the viewers can view the program free. And the sponsor can advertise that providing merchandise to the viewers by that commercial program.

[0004] Generally, however, since many viewers unfortunately go or switch over the channel as well as the broadcasting of a commercial program is started, a problem that the provider of a commercial program cannot surely advertise the merchandise to the viewers is caused.

Disclosure of Invention

[0005] Considering the above points, the present invention makes viewers surely view commercial programs.

[0006] An information receiving device according to Claim 1 comprises a receiving means for receiving a program to be transmitted, an operation means for operating points corresponding to a viewer's response to the response request of a response program which requests a viewer's response, and a recording means for recording specifying information to specify a response program, and the points operated by the operation means at least, when the program received by the receiving means is a response program.

[0007] A method for receiving information according to Claim 6 comprises a receiving step for receiving a program to be transmitted, an operation step for operating points corresponding to a viewer's response to the response request of a response program which requests a viewer's response, and a recording step for recording specifying information to specify a response

program, and the points operated by the operation step at least, when the program received by the receiving step is the response program.

[0008] An information transmission device according to Claim 8 includes a transmission means for transmitting a program, and transmits a response program which requests a viewer's response and specifying information to specify that response program together by the transmission means.

[0009] A method for transmitting information according to Claim 10 includes a transmission step for transmitting a program is provided, and transmits a response program which requests a viewer's response and specifying information to specify that response program together by the transmission step.

[0010] In the information transmission device according to Claim 8 and the method for transmitting information according to Claim 10, a response program and specifying information to specify the response program are transmitted. And in the information receiving device according to Claim 1 and the method for receiving information according to Claim 6, points are operated corresponding to a viewer's response to the response request of the response program, and the points are recorded together with the specifying information.

Brief description of Drawings

[0011]

Fig. 1 is a block diagram showing an example of the configuration of a digital television signal receiving device to which the present invention is applied.

Fig. 2 is a flow chart explaining the operation of the embodiment of Fig. 1.

Fig. 3 is a diagram showing a display example on a display 7A of Fig. 1.

Fig. 4 is a diagram showing a display example on the display 7A of Fig. 1.

Fig. 5 is a flow chart explaining an accounting in the embodiment of Fig. 1.

Fig. 6 is a flow chart explaining the processing of responded data in the embodiment of Fig. 1.

Fig. 7 is a flow chart explaining a processing for selecting merchandise in the embodiment of Fig. 1.

Fig. 8 is a diagram showing a display example in step S52 in Fig. 7.

Best Mode for carrying Out the Invention

[0012] The present invention will be described in detail with reference to the accompanying drawings.

[0013] Fig. 1 shows an example of the configuration of a digital television broadcasting receiving device to which the present invention is applied. A tuner 2 receives digital television broadcasting of a specified channel via an antenna 1 and outputs the demodulated signal. An FEC circuit 3 performs error correction of the

signal supplied from the tuner 2 and outputs a resultant signal to a transport circuit 4. The transport circuit 4 separates video data V, left and right audio data A_L and A_R , and control data from the signal inputted from the FEC circuit 3 and outputs the video and audio data to an MPEG decoder 5 as well as outputting the control data which includes data on conditional access relating to the contents of broadcasting receiving contract with viewers to a conditional access interface 9.

[0014] The MPEG decoder 5 decodes the inputted video data and audio data and outputting the decoded data to a display processor 6. The display processor 6 processes the inputted video data and audio data to convert into an analog video signal and an audio signal, and outputting them to a display 7A and speakers 7B respectively.

[0015] A smart card 10 can be attached to the conditional access interface 9. A microprocessor and a memory are built in this smart card 10 to store ciphered information on the contents of contract with viewers, ciphered information on accounting of pay programs, etc.

[0016] The microprocessor 8 controls each part to execute receiving processing. A modem 11 can transmit/receive various data and commands or the like via a telephone line.

[0017] An IR receiving part 12 receives an IR signal to be transmitted from the IR transmission part 33 of a remote controller 31 that has various keys in addition to a ten key 32, and outputs the detected signal to the microprocessor 8. The viewer can input various commands to the microprocessor 8 by operating the various keys of the remote controller 31.

[0018] The operation of this device will be described hereinafter, referring to a flow chart of Fig. 2. When viewing a program, the viewer specifies a receiving channel by operating the ten key 32, for example. An IR signal corresponding to this specified channel is generated from the IR transmission part 33 of the remote controller 31. If receiving this signal via the IR receiving part 12, the microprocessor 8 instructs the tuner 2 to receive the specified channel. The tuner 2 receives the radio wave of the specified channel and outputting the demodulated signal. The FEC circuit 3 performs error correction to the signal of the inputted channel, and then outputs the resultant data to the transport circuit 4.

[0019] The transport circuit 4 separates control data from the inputted data, and outputs this to the smart card 10 via the conditional access interface 9. The smart card 10 refers conditional access data in the control data inputted from the transport circuit 4 to the contract condition of the viewers previously stored to determine whether or not it is a program permitted to view. As a result, if it is the program permitted to view, the transport circuit 4 is controlled via the conditional access interface 9, while if the data inputted from the FEC circuit 3 is the data ciphered or interleaved, it is decoded or deinterleaved.

[0020] The MPEG decoder 5 decodes video data and audio data supplied from the transport circuit 4 and outputting the decoded data to the display processor 6. The display processor 6 processes the inputted video data and audio data to convert into an analog video signal and an audio signal, and outputting them to the display 7A and the speaker 7B respectively.

[0021] When such receiving processing is performed, the conditional access interface 9 executes a processing shown in the flow chart of Fig. 2. In step S1, first, it is determined whether or not the tuner 2 is now receiving a commercial program. Note that, in this specification, also a commercial program for advertising a predetermined merchandise, service, etc., (hereinafter, it is simply referred to as merchandise) to the viewers is regarded as one of programs other than programs such as a drama, news, a movie, etc.

[0022] If the program now received is a commercial program, it goes to step S2 and the conditional access interface 9 determines whether or not the commercial program is a program which requests the viewer to respond. It can be determined on a receiving side, by transmitting a flag showing whether or not to be a response request program from the program transmission side, from this flag. If the program now received is a response request program, the conditional access interface 9 makes the memory built in the smart card 10 store the ID of the commercial program now received.

[0023] In the response request program, a picture to advertise a merchandise is displayed, and then, as shown in Fig. 3, a message like "Push the number 5 if you like this merchandise," is displayed. If responding to this message, the viewer operates the number 5 key in the ten key 32 of the remote controller 31. A signal corresponding to this number 5 key is outputted from the IR transmission part 33 in the remote controller 31 as an IR signal. This signal is received by the IR receiving part 12, and the detected signal is supplied to the microprocessor 8. If this detected signal is inputted to, the microprocessor 8 outputs a signal showing that the number 5 key was operated to the conditional access interface 9.

[0024] In step S4, the conditional access interface 9 monitors the signal from the microprocessor 8 to determine whether or not the viewer responded to the response request of the commercial program. If his response is determined, the conditional access interface 9 goes to step S5 to add a prescribed value to points stored in the smart card 10, while if the viewer does not respond to the response request of the commercial program, the points adding processing in step S5 is skipped. Note that, if the viewer does not respond to the response request, the points may be actively subtracted in addition to adding no points, as occasion demands.

[0025] Then, the conditional access interface 9 goes to step S6 to record the contents of the viewer's response in the smart card 10 along with the ID of the commercial program or the like. In step S7, whether or not the response request has completed in the commer-

cial program is determined. If it has not completed yet, the conditional access interface 9 returns to step S4 to repeatedly execute the processing after S4. If the completion of the response request is determined, it returns to step S1 to repeatedly execute the processing after S1.

[0026] In addition, it may make the viewer answer a questionnaire, for example, by requesting to input the viewer's age who operated the response to the merchandise, or by making him selectively input his favorite color, or the like. And thus response results can be recorded in the smart card 10.

[0027] In step S1, if it is determined that the program now received is not a commercial program, the conditional access interface 9 goes to step S8 to determine whether or not the program now received is a pay program. If the program now received is not a pay program, it returns to step S1. Accordingly, when a free normal program is broadcasted, the processings of step S1 and step S8 are repeatedly executed.

[0028] In step S8, if it is determined that a pay program is being received now, the conditional access interface 9 goes to step S9 to read out the points now stored in the smart card 10 and displaying it on the display 7A together with a message like "Will you use this points for a payment for pay broadcasting?", as shown in Fig 4, for example. The viewer determines whether or not to use the present points for the payment for pay broadcasting. If using it, the viewer operates a number 1 key corresponding to YES in the ten key 32 of the remote controller 31 in step S11. While if not using it, the viewer operates a number 3 key corresponding to NO in step S14.

[0029] If an input showing that the points are to be used for the payment for pay broadcasting is obtained, in step S12, a processing to cancel points corresponding to the toll of pay broadcasting from the present points is executed. That is, the conditional access interface 9 subtracts points corresponding to the toll of a pay broadcasting now to be received from the present points stored in the smart card 10. For example, if the present points are 250 points and a toll of the program corresponds to 50 points, new points becomes 200 points, and if a toll of the program corresponds to 300 points, new points becomes -50 points.

[0030] Then, in step S13, whether or not the points after the update are 0 or more is determined. If it is 0 or more, the conditional access interface returns to step S1 without conducting an accounting in step S15.

[0031] While if the points after the update are smaller than 0 (if it is minus) or subsequently to the processing of step S14, the conditional access interface 9 goes to step S15 to execute the accounting to the toll of the pay program. At this time, if an input showing that the points are not to be used for the payment for the pay broadcasting is obtained in step S14, the conditional access interface 9 executes a normal accounting. That is, the toll of the pay broadcasting program now viewed is

added to a toll of reception until then, stored in the smart card 10. On the contrary, if the points after the update are minus resulted from the cancellation of the pay broadcasting toll by the points, a part of the toll corresponding to that minus points is added.

[0032] As the above manner, points are added when the viewer responds to the response request of a commercial program. Thereby, the viewer can view a pay program at a reduced toll by the added points.

[0033] Such service cannot be received only if the user responds to a response request in a commercial program. For example, this service cannot be received only if the viewer simply watches the commercial program or records it to a video tape. Moreover, since the time of the response request is uncertain in the commercial program, the viewer cannot receive this service only if he views the commercial program from the beginning to the end. As a result, the program's provider can make the user surely view the commercial program.

[0034] The accounting of pay program will be described hereinafter with reference to a flow chart of Fig. 5. In step S31 the program's provider commands to read out account data stored in the smart card 10 of a specified viewer. This command can be performed by broadcasting an ID to specify the viewer or transmitting via a telephone line, for example. If a readout of the account data is commanded via radio waves, the readout command is supplied to the conditional access interface 9 via the transport circuit 4. While if this read command is outputted via a telephone line, this command is inputted to the microprocessor 8 from the modem 11. The microprocessor 8 outputs this command to the conditional access interface 9.

[0035] If the readout of account data is commanded in this manner, the conditional access interface 9 reads the account data until then, stored in the smart card 10, and outputs this to the microprocessor 8. If receiving the input of the account data, the microprocessor 8 controls the modem 11 to transmit this to the commander of readout via the telephone line. On the program's provider side, this account data is received in step S32. Then, the accounting corresponding to the received account data is executed in step S33. For example, a debit note corresponding to the account data is issued to that viewer or the settlement of the account is performed by a credit card.

[0036] Furthermore, the program's provider can collect responded data recorded in the smart card 10 by a processing shown by a flow chart of Fig. 6. In step S41, a responded data read command is first outputted to the specified viewer. This read command can be outputted via the radio wave or the telephone line similarly to the account data read command in step S31 of Fig. 5. On the receiving side, responding to this, the conditional access interface 9 reads the responded data stored in the smart card 10 (data recorded in step S6 of Fig. 2) along with the commercial ID, and outputting them to the microprocessor 8. The microprocessor 8 controls

the modem 11 to transmit these responded data and commercial ID to the provider of the commercial program via the telephone line. On the commercial program's provider side, this responded data is received by step S42. Then, the responded data received in step S42 is processed in step S43.

[0037] As described above, the result of a questionnaire performed via the commercial program is included in this responded data. Thus, in addition to the number of households which viewed that commercial program, the commercial program's provider can obtain detailed data such as a date of viewers who has an interest in the merchandise, a distinction of male/female, etc., by analyzing the answer to this questionnaire. Moreover, also the latest liking and tendency or the like of viewers can be analyzed depending on the contents of a questionnaire. Such information can also be used in the development of new goods, and the information itself can also be offered to others, if necessary.

[0038] Note that, such data collection may be performed simultaneously with accounting.

[0039] The commercial program's provider can not only make a viewer surely view the commercial program but also collect and analyze the responded data.

[0040] In said example of processing, points are added to the toll of a pay program, however, a merchandise may be presented to a viewer instead of that, for example. Fig. 7 shows an example of processing in this case.

[0041] In step S51, the viewer first operates a predetermined key of the remote controller 31 to command the readout of the present points stored in the smart card 10. When this points read command is inputted via the microprocessor 8, in step S52 the conditional access interface 9 reads out and displays the points stored in the smart card 10 on the display 7A, for example, as shown in Fig. 8. At this time, the points and merchandise which can be presented by that points are displayed. In a display example of Fig. 8, it is displayed that the points are 125 points and the merchandise selectable by this points is a camera, video tape recorder or CD player.

[0042] The viewer looks at this display and selects a desirous merchandise in step S53. For example, if the camera is desired in the display example of Fig. 8, a number 1 key is operated in the ten key 32 of the remote controller 31. If the video tape recorder is desired, a number 2 key is operated. And if the CD player is desired, a number 3 key is operated.

[0043] If a signal to select a merchandise is inputted via the microprocessor 8, the conditional access interface 9 executes a processing for transmitting data showing that the selected merchandise is desired by the viewer, in step S54. That is, at this time, the conditional access interface 9 controls the microprocessor 8 to transmit this data to the commercial program's provider from the modem 11 via the telephone line. If receiving this data transmission, the commercial program's pro-

vider performs a processing for delivering the merchandise to the viewer. Note that, after merchandise is selected, the remaining points are reduced by the points corresponding to that merchandise.

[0044] Otherwise, the points stored in the smart card 10 may be converted into a coupon at a variety shop and helping the viewer to buy a desired merchandise selling on the shop, for example. Specifically, the user takes the smart card to the shop with him, and reads out all the points by points reader installed in the shop and making zero points remain. Then, the user can receive a coupon corresponding to the points.

[0045] In the above embodiment, data is transmitted/received to/from the program's provider side via a telephone line by means of the modem 11. In a cable television system having bi-directional channels or the like, however, the data can be transmitted to a program's provider side by means of up-directional channels.

[0046] Besides, in the above embodiment, the points are recorded in the smart card 10. In the case where there are up-directional channels, however, the points may be recorded on a broadcasting station side.

[0047] As the smart card 10, PCMCIA (personal computer memory card international association) cards or other cards can be used.

[0048] In the above embodiment, a response is requested to the viewer in a commercial program. However, this program is not only limited to the commercial program but also various programs can be used instead.

[0049] Furthermore, in the case where a printer is connected to or built in a digital television broadcasting receiving device, a coupon may be outputted from the printer. In this case, since a memory for storing points is not needed to be a memory in a smart card, points may be stored in a memory in the receiving device.

[0050] Moreover, in the above embodiment, a commercial ID and responded data are transmitted to a program's provider. However, by transmitting also a commercial ID which received no response, the program's provider can recognize viewers' liking further detailed and can use in the development of goods.

[0051] In the above, the case where the present invention is applied to a digital television signal receiving device has been described as an example however, the present invention can also be applied to other information receiving devices.

[0052] As described above, according to the present invention, since points are operated corresponding to a viewer's response to a response request by a response program and recording the points, it can make the viewer surely view the program. At the same time, also the viewer side can receive a program at further lower toll by using this points.

Industrial Capability

[0053] In a digital television broadcasting, a commercial program in the form of questionnaire with a benefit is broadcasted. Thereby, the propaganda effect of the commercial program is improved, and liking data for merchandise of viewers can be surveyed.

Description of Reference Numerals

[0054]

2...TUNER, 4...TRANSPORT CIRCUIT, 7A...DISPLAY, 8...MICROPROCESSOR, 9...CONDITIONAL ACCESS I/F, 10...SMART CARD, 11...MODEM, 12...IR RECEIVING PART, 31...REMOTE CONTROLLER, 32... TEN KEY, 33...IR TRANSMISSION PART

Claims

1. An information receiving device, comprising:

a receiving means for receiving a program to be transmitted;
an operation means for operating points corresponding to a viewer's response to the response request of a response program which requests a viewer's response; and
a recording means for recording specifying information to specify a response program, and the points operated by said operation means at least, when the program received by said receiving means is said response program.

2. The information receiving device according to Claim 1, further including:

a response program determination means for determining whether or not the program received by said receiving means is said response program.

3. The information receiving device according to Claim 1 or Claim 2, wherein:

said recording means also records the contents of the viewer's response.

4. The information receiving device according to Claim 1 or Claim 2, further including:

a transmission means for transmitting the recorded contents in said recording means.

5. The information receiving device according to Claim 1 or Claim 2, further including:

6. A method for receiving information, comprising:

a receiving step for receiving a program to be transmitted;
an operation step for operating points corresponding to a viewer's response to the response request of a response program which requests a viewer's response; and
a recording step for recording specifying information to specify a response program, and the points operated by said operation step at least, when said program received by the receiving step is said response program.

7. The method for receiving information according to Claim 6, further including:

a response program determination step for determining whether or not the program received by said receiving step is said response program.

8. An information transmission device, wherein:

a transmission means for transmitting a program is provided; and
a response program which requests a viewer's response and specifying information to specify that response program are transmitted together by said transmission means.

9. The information transmission device according to Claim 8, further including:

a receiving means for receiving responded data from the viewer to the response request of said response program transmitted from an information receiving device.

10. A method for transmitting information, wherein:

a transmission step for transmitting a program is provided; and
a response program which requests a viewer's response and specifying information to specify that response program are transmitted together by said transmission step.

11. The method for transmitting information according to Claim 10, further including:

a receiving step for receiving responded data from the viewer to the response request of said response program transmitted from an information receiving device.

5

10

15

20

25

30

35

40

45

50

55




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP98/02742

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl. ⁶ H04N17/00, 7/16 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl. ⁶ H04N17/00, 7/16 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Jitsuyo Shinan Koho 1937-1996 Jitsuyo Shinan Toroku Koho 1996-1998 Kokai Jitsuyo Shinan Koho 1971-1996 Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JP, 9-46453, A (Canon Inc.), 14 February, 1997 (14. 02. 97) (Family: none)	1-11
A	JP, 63-146592, A (Video Research Ltd.), 18 June, 1988 (18. 06. 88) (Family: none)	1-11
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 4 September, 1998 (04. 09. 98)		Date of mailing of the international search report 16 September, 1998 (16. 09. 98)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

Form PCT/ISA/210 (second sheet) (July 1992)